

READ SAFETY DIRECTIONS BEFORE OPENING OR USING


Kendon

LIME SULPHUR

FUNGICIDE/INSECTICIDE

ACTIVE CONSTITUENT: 200g/L SULPHUR (S)
AS POLYSULPHIDE SULPHUR

For the control of certain diseases, insects and mites on pome fruit, stone fruit, citrus, grapes, roses, hedges and vegetables as specified in the directions for use.



5L



20L



200L

Kendon Plant Care PTY LTD
10 Abbott Street, Fairfield VIC. 3078 Ph: (03) 9497 2822
AN AUSTRALIAN OWNED COMPANY

DIRECTION FOR USE:

CROP	PEST/DISEASE	STATE	RATE / 100L WATER	CRITICAL COMMENTS
CITRUS FRUIT Oranges, Lemons Grapefruit, Mandarins etc.	White Louse Scale	NSW, VIC, SA, ACT, TAS only	10 L	Winter spray. Apply in July and thoroughly wet all parts of the tree.
		QLD only	3 - 6.5 L	Summer spray
	Maori Mite	NSW, VIC, SA, WA, ACT, TAS only	2.5 L	Spray to thoroughly wet leaves
GRAPES	Bud Mite, Erinose Mite	VIC, SA, WA, TAS only	10 L	Apply as near as possible to budburst. NOTE: Spread of mites is checked by sulphur treatments used for powdery mildew.
	Rust Mite & Vine Bunch Mite	QLD, NSW, ACT only	5 L	
	Post Harvest treatment for Mites	SA only	2 L	Apply as soon as possible after harvest.
POME FRUIT Apples	Black spot, (Scab), Powdery Mildew	All states	5 L	Apply during dormant to late bud swell period. NOTE: Lime Sulphur used after late green tip will restrict growth and depress yield. DO NOT use on Delicious or Cox's Orange Pippin apples
	San Jose Scale	QLD, NSW, VIC, SA WA, ACT only		
Pears	Black spot, Byrobia Mite, Pear leaf Blister Mite	All states		
STONE FRUIT Peaches, Nectarines, Prunes Plums, Apricots, Almonds	Byrobia Mite, Shot hole, Leaf curl, Freckle, Rust	All states	5 L	Spray while tree is dormant to bud swell stage.
	Brown Rot (Blossom blight) San Jose Scale	QLD, NSW, VIC, SA, ACT, TAS only		
	Frosted scale	QLD, VIC, SA WA, TAS only		
SUMMER SPRAY Roses, Hedges Vegetables, Tomatoes.	Two spotted Mite, Tomato Mite, Powdery mildew, Rust	All states	1 L	Spray to wet leaves and repeat as necessary.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS:

DO NOT apply during the growing period of Apricots, Raspberries, Cucurbits, Peaches or other sulphur sensitive plants.

MIXING: Shake contents well before using. Add the required amount of product to the water in the spray tank with stirring or agitation. Agitate while spraying. DO NOT mix the product with acidic water of pH below 4.

APPLICATION: Spray in the cool of the day. The spray mixture should be used on the same day it is mixed with water. DO NOT apply when freezing weather is predicted or the air temperature is over 32°C. DO NOT apply product within 2 weeks of an oil spray except as indicated under the "Compatibility" statement below.

COMPATIBILITY: This product may be mixed with Kendon White Oil for use on Pome and Stone fruit during the dormant to semi-dormant stages only. For details of this mixture consult the label for Kendon White Oil.

PROTECTION OF WILDLIFE, FISH, CRESTACEANS AND ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL: Store in the closed, original container in a well ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots.

Empty containers and product should not be burnt.

SAFETY DIRECTIONS: Avoid contact with skin and eyes. When preparing the spray and using the prepared spray, wear elbow length PVC gloves and face shield or goggles. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves and face shield or goggles and contaminated clothing.

FIRST AID: If poisoning occurs, contact a Doctor or Poisons Information Centre, phone 13 11 26. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a Doctor.

MATERIAL SAFETY DATA SHEET: Additional information is listed in Kendon Material Safety Data Sheet No. A565.

APVMA No: 53131/0700

B.N.

D.O.M.



Kendon

LIME SULPHUR