CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



TRIFORINE

Rose Fungicide

ACTIVE CONSTITUENT: 19g/L TRIFORINE (
SOLVENT: 23.8g/L DIMETHYL FORMAMIDE

GROUP C FUNGICIDE

For the control of Black Spot, Powdery Mildew & Rust



AN AUSTRALIAN OWNED COMPANY EST. 1950

Kendon Chemical & Mnfg Co Pty Ltd, 10 Abbott St, Fairfield Vic 3078 Ph 03 9497 2822



DIRECTIONS FOR USE

DO NOT apply during abnormally hot, cold or slow drying conditions.

DO NOT use a wetting agent as it may cause excessive run off.

CROP	DISEASE	RATE	HOW TO APPLY
	Black Spot, Powdery Mildew & Rust	15ml / 1L	Apply at intervals of 7-10 days, for as lo as diseases are active.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

APPLY PREPARED MIXTURE IMMEDIATELY

GENERAL INSTRUCTIONS

MIXING: Slowly add desired amount to water while stirring.

METHOD OF APPLICATION: Spray plants to the point of run-off to ensure thorough wetting and coverage.

COMPATIBILITY: May be combined with either Carbaryl or Pirimor, but mixing with both or other products may cause serious damage.

FUNGICIDE RESISTANCE WARNING

GROUP C FUNGICIDE

Triforine is a member of the DMI group of fungicides. For fungicide resistance management triforine is a Group C fungicide. Some naturally occurring individual fungi resistant to triforine and other Group C fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by triforine and other Group C fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect Kendon Chemical & Mnfg Co Pty Ltd accepts no liability for any lossess that may result from failure of triforine to control resistant fungi.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT CAUTION: DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed original container, in a cool, well ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. Do not inhale vapour or spray mist. When preparing spray wear elbow length PVC gloves and face shield If product contacts with skin, immediately wash area with soap and water After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use wash gloves, face shield and contaminated clothing.

DOM:

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

APVMA Approval No. 30517 / 0702 Batch No:

SDS

For further information refer to the Safety Data Sheet (SDS).

GHS STATEMENTS


Highly flammable liquid & vapour. Suspected of damaging the unborn child. Causes serious eye irritation. May cause drowsiness & dizziness.

IN A TRANSPORT EMERGENCY DIAL 000 POLICE or FIRE BRIGADE

Specialist Advice: Kendon Chemical (03) 9497

FLAMMABLE LIQUID, N.O.S. (ETHANOL >60% UN No. 1993 Packing Group II





CONDITIONS OF SALE: The product as supplied is of hi supplied and must be used in accordance with the direc this product, save those non excludable conditions imp