

PFF GOLD

Pre Fruit Filling Fertiliser

CONCENTRATED PLANT FOOD WITH NPK AND CHELATED TRACE ELEMENTS

- ESPECIALLY DESIGNED FOR THE BUD FORMATION PERIOD
- INCREASE IN NUMBER OF REPRODUCTIVE BUDS
- INCREASE IN BUD UNIFORMITY
- INCREASE IN BUD SIZE AND ENERGY

AN AUSTRALIAN OWNED COMPANY, EST. 1950 Kendon Chemical & Mnfg Co Pty Ltd, 10 Abbott Street, Alphington, VIC 3078 Ph: 03 9497 2822



Kendon PFF Gold is suitable for all crops, especially during bud formation to mid cell division. Follow on with **Kendon High K** through the fruit filling stage, harvest and to pre-senescence.

For fast and best results, foliar spraying or overhead irrigation is recommended. Kendon PFF Gold may also be applied to the soil by fertigation.

ANALYSIS

Macro Nutrients	Total Product Basis % w/v	Dry Weight Basis w/w
Total Nitrogen (N)	5.32	15
Total Phosphorus (P)	1.35	4
Total Potassium (K)	4.83	14

Trace Elements		
EDTAs: Copper (Cu), Iron (Fe),		
Magnesium (Mg), Manganese (Mn), Zinc (Zn),		
plus Boron (B) & Molybdenum (Mo)		

DIRECTIONS FOR USE

CROP / SITUATION	RATE	CRITICAL COMMENTS
Commerical Fruit & Vegetable Crops	5L per 1000L of water applied over Ha	To achieve optimal results in boosting Brix levels, apply PFF Gold on a weekly basis. Alternatively, if applying every 2-3 weeks, do so when the leaf sap Brix falls below 12%.
Sports Fields & Turf	20L per 1000L of water applied over Ha	For best results, apply fortnightly or as required during the growing season.
Ornamentals, Glasshouses or Indoor Plants	5ml to 1L water	Firstly, water plants, then apply diluted PFF Gold to foliage. Apply fortnightly, using approximately 1L of mixture per square meter, from watering can. For optimal results in increasing Brix levels, we recommend applying PFF Gold on a weekly basis. Continue until fruit starts to develop and flowers emerge from bud.
Home Garden Fruit & Vegetables		
Seedlings	2.5ml to 1L of water	Apply with a fine spray immediately after planting.

RESTRAINTS

Do Not store diluted PFF Gold.

Do Not apply undiluted PFF Gold.

Do Not apply to foliage during the hottest time of the day or in hot sunshine.

Do Not mix with incompatible materials, eg. Lime Sulphur, Bordeaux or Anti Scale Oil.

Mix small quantities to test for precipitation if in doubt about compatibility.



Batch No: