KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE **OPENING OR USING**

Kendon

Sodium Molybdate 390g/kg Molybdenum (Mo) as sodium molybdate

For the treatment of Molybdenum deficiency in various situations, as per requirements.

15kg

Kendon Chemical & Mnfg Co Pty Ltd 10 Abbott St, Fairfield Vic 3078 Ph 03 9497 2822 AN AUSTRALIAN OWNED COMPANY Est. 1950

INDICATIONS FOR USE:

Annual Crops	g/100L	Comments
General Rate	50-100	Apply in sufficient water to wet foliage. Apply early in crop life.
Seedlings	40	Apply prior to transplanting.
Hydroponics	2.5ppm can be achieved by mixing 7g of Sodium Molybdate per 1000L of water	

May also be mixed with dry fertiliser.

Note: Molybdenum can be toxic when levels become too high. One spray per crop is generally sufficient, except where deficiency is noted. Susceptible crops such as brassicas and cucurbits, may require two sprays three weeks apart.

PROTECTION OF LIVESTOCK:

Excessive molybdenum can be harmful to stock:

- do not apply fertiliser containing molybdenum on more than 25% of farm annually. Do not graze for four weeks after application.

Batch No: