LIME SULPHUR Fungicide / Insecticide

ACTIVE CONSTITUENT: 200g/L Sulphur (5) as Polysulphide Sulphur

FOR THE CONTROL OF CERTAIN DISEASES, INSECTS AND MITES ON POME FRUIT, STONE FRUIT, CITRUS, GRAPES, ROSES, HEDGES & VEGETABLES AS SPECIFIED IN THE DIRECTIONS FOR USE TABLE



AN AUSTRALIAN OWNED COMPANY

Kendon Plant Care Pty Ltd, 10 Abbott St, Fairfield Vic 3078 Ph 03 9497 2822



DIRECTIONS FOR USE:

CROP	PEST / DISEASE	STATE	RATE / 100L WATER	CRITICAL COMMENTS
Citrus Fruit Oranges, Lemons, Grapefruit, Mandarins etc.	White Louse Scale	NSW, ACT, VIC, SA & TAS only	10L	Winter Spray: Apply in July and thoroughly wet all parts of the tree.
		QLD only	3L-6.5L	
	Maori Mite	NSW, ACT, VIC, SA, WA & TAS only	2.5L	Summer Spray: Spray to thoroughly wet leaves.
Grapes	Bud Mite, Erinose Mite, Rust Mite, Vine Bunch Mite	VIC, SA, WA & TAS only	10L	Apply as near as possible to bud burst. Note: Spread of mites is checked by sulphur treatments used for powdery mildew.
		QLD, NSW & ACT only	5L	
	Post harvest treatment for mites	SA only	2L	Apply as near as possible after harvest.
Pome Fruit Apples	Blackspot (Scab), Powdery Mildew	All States	5L	Apply during dormant to late bud swell. Note: Lime Sulphur used after late green tip will restrict growth and depress yield. DO NOT use on Delicious or Cox's Orange Pippin apples.
	San Jose Scale	QLD, NSW, ACT, VIC, SA & WA only		
Pears	Blackspot, Byrobia Mite, Pear Leaf Blister Mite	All States		
Stone Fruit Peaches, Nectarines, Prunes, Plums, Apricots, Almonds	Byrobia Mite, Shot Hole, Leaf Curl, Freckle, Rust	All States	5L	Spray while tree is dormant to bud swell stage.
	Brown Rot (Blossom Blight), San Jose Scale	QLD, NSW, ACT, VIC, SA & TAS only		
	Frosted Scale	QLD, VIC, SA, WA & TAS only		
Summer Spray Roses, Hedges, Vegetables, Tomatoes	Two Spotted Mite, Tomato Mite, Powdery Mildew, Rust	All States	1L	Spray to wet leaves and repeat as necessary.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

DO NOT apply during the growing period of Apricots, Raspberries, Cucurbits, Peaches or other sulphur sensitive plants.

Mixing: Shake contents well before using. Add the required amount of product to the water in the spray tank with stirring or agitation. Agitate while spraying.

DO NOT mix the product with acidic water or pH below 4.

Application: Spray in the cool of the day. The spray mixture should be used on the same day it is mixed with water.

DO NOT apply when freezing weather is predicted or the air temperature is over 32°C. **DO NOT** apply product within 2 weeks of an oil spray except as indicated under the "Compatibility" statement below.

COMPATIBILITY: This product may be mixed with Kendon White Oil for use on Pome and Stone fruit during the dormant to semi-dormant stages only.

For details of this mixture consult the label for Kendon White Oil

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a well-ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Avoid contact with skin and eyes. When preparing the spray and using the prepared spray, wear elbow length PVC gloves and face shield or goggles. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves and face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from the supplier.

GHS STATEMENTS

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Contact with acids liberates toxic gas. Harmful to aquatic life.

APVMA No. 53131/0700

Batch No: DOM:

