CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



N.A.A. STOP DROP

Fruit Thinning and Setting Compound

ACTIVE CONSTITUENT: 20g/L N.A.A.

TO ASSIST IN THE PREVENTION
OF PRE-HARVEST DROP OF
APPLES AND PEARS.
MAY ALSO BE USED AS A
THINNING SPRAY FOR APPLES
AND FOR STRIKING HARD AND
SOFTWOOD CUTTINGS.



AN AUSTRALIAN OWNED COMPANY

Kendon Plant Care Pty Ltd, 10 Abbott St, Fairfield Vic 3078 Ph 03 9497 2822



DIRECTIONS FOR USE:

CROP	ACTION	RATE	CRITICAL COMMENTS
Apples & Pears	Assist prevention of pre-harvest fruit drop	1L / 2000L of water (10ppm)	Apply as a high volume spray 12-14 days before harvest to thoroughly wet fruit and foliage.
		500ml / 2000L of water (5ppm)	A second, half strength spray (5ppm), may be necessary if conditions favour excessive fruit drop.
Apples	Fruit thinning	250ml - 1L / 2000L of water (2.5ppm - 10ppm)	Apply as a high volume spray 10-14 days after full bloom, to the top two thirds of tree for uniform thinning. For specific varieties, consult local Dept. of Agriculture.
			In Tasmania, apply, particularly to Golden Delicious, from balloon blossom to 7 days after full bloom. Application rates for mature trees should be a minimum of 4000L / ha.
Hardwood or Softwood Cuttings	Root striking	12.5ml - 50ml / 10L of water	Dip base of cutting to depth of 5mm into N.A.A. solution, for approx. 5 seconds. Allow to dry and insert half the length of the cutting into striking medium. Use the stronger solution for hardwood cuttings, weaker solution for softwood cuttings.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD: DO NOT APPLY LATER THAN 1 DAY BEFORE HARVEST

GENERAL INSTRUCTIONS

When spraying for the prevention of pre-harvest fruit drop, do not allow fruit to remain on the trees beyond normal harvest date, otherwise fruit may become over mature.

Use a suitable wetter, such as Kendeen 20, at 125ml / 100L of spray volume.

N.A.A. must be absorbed into the tree to be effective. Therefore slow drying conditions after spraying, high volume spraying and the use of a wetting agent will enhance effectiveness.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container, in a dry, cool, well-ventilated area, out of direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots in compliance with the relevant local, state or

territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre, Phone 13 11 26. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

For further information refer to the Safety Data Sheet (SDS).

APVMA No. 50357 / 0198 Batch No:

