

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

KDPC

Potato 'No Sprout' VAPOUR Sprout Inhibitor

ACTIVE CONSTITUENT: 500g/L CHLORPROPHAM
SOLVENT: 465g/L METHYLATED SPIRITS

**FOR VAPOUR PHASE TREATMENT OF
STORED POTATOES TO PREVENT
SPROUTING, AS SPECIFIED IN THE
DIRECTIONS FOR USE TABLE**

20L



AN AUSTRALIAN OWNED COMPANY
KD Plant Care Pty Ltd, 10 Abbott St, Fairfield VIC 3078 Ph 03 9497 5247

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT treat wet, damaged or rotting potatoes.

DO NOT treat after sprouting has developed.

DO NOT use on or near seed potatoes.

CROP	RATE	CRITICAL COMMENTS
Stored Potatoes	Up to 6L / 100 Tonnes Potatoes	Apply undiluted through conventional fogging equipment into the sealed storage shed. Application rate will depend upon: variety of potatoes, storage conditions and the desired length of storage. Re-treatment may be necessary. It is recommended to monitor chlorpropham levels and if residue levels fall below the critical level of 25ppm, topping up may be required. Treatment with No Sprout Vapour must be managed so that potatoes removed from storage and sent for processing contain less than 30mg/kg chlorpropham.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

This product is specially formulated for prevention of sprouting in stored potatoes. It is designed to be vaporised through conventional fogging equipment. Seal all vents and doors in storage shed. It is important to ensure that the treatment shed is thoroughly sealed and fully airtight. Keep storage area sealed for 24-48 hours, after which remove seals and covers and return to normal ventilation. Caution: Keep naked flames away from fumigated storage areas until adequately ventilated.

PRECAUTION

Re-entry Statement: Do not allow entry into treated areas for 48 hours after treatment. When prior entry is necessary, wear all protective clothing, including respirator. Clothing must be washed after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used chemical containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. Do Not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with the relevant Local, State or Territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale vapour. When using the product, wear cotton overalls buttoned to the neck and wrist, elbow-length PVC gloves, goggles, and half piece respirator. If product on skin, immediately wash area with soap and water. If product in eyes, wash out immediately with water. Wash hands after use. After each day's use, wash gloves, goggles, and respirator (if rubber wash with detergent and warm water) and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Tel: 13 11 26).

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which is available from the supplier.

GHS STATEMENTS

Flammable liquid and vapour. Causes serious eye irritation. May cause damage to blood through prolonged or repeated oral exposure. Suspected of causing cancer. May cause drowsiness or dizziness by inhalation. Repeated exposure may cause skin dryness or cracking. Toxic to aquatic life with long lasting effects. (Chronic).

**IN AN EMERGENCY DIAL
000
POLICE OR FIRE BRIGADE**

**FOR SPECIALIST ADVICE
IN AN EMERGENCY
03 9497 2822**

**FLAMMABLE LIQUID, N.O.S.
(ETHANOL SOLUTION 46%)
UN No. 1993
Packing Group II**



APVMA No. 66675 / 54173

Batch No.

DOM:

CONDITIONS OF SALE: The product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly supplied and must be used in accordance with the directions for use given on this label. No responsibility is accepted in respect of this product, save those non-excludable conditions implied by The Trade Practices Act or any applicable State Legislation.