

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**KDPC**


# SOCUSIL® SNAIL REPELLENT - PART A

ACTIVE CONSTITUENT: 206g/L SILICATE SALTS

FOR THE CONTROL OF SNAILS ON TREES, VINES AND WOODEN SURFACES  
AS DETAILED IN THE DIRECTIONS FOR USE.

PART A TO BE MIXED WITH PART B IN  
ACCORDANCE WITH THE MIXING INSTRUCTIONS.

NOT TO BE SOLD  
SEPARATELY.



4L

20L

AN AUSTRALIAN OWNED COMPANY

KD Plant Care Pty Ltd, 10 Abbott St, Fairfield Vic 3078 Ph 03 9497 5247

NOT TO BE SOLD SEPARATELY

## DIRECTIONS FOR USE

### RESTRAINTS

DO NOT spray plants in glasshouses.

DO NOT apply to vegetation and surfaces when the surface is wet, or during rainfall.

CROP / SITUATION	RATE			CRITICAL COMMENTS
	POTABLE WATER	PART A	PART B	
Trees - including: Stone, Pome & Citrus	176L	4L	20L	The length of repellency may vary with the surface type to which Socusil is applied, and can last up to 12 months.
Vines - including: Grapes, Kiwifruit & Berries				Thoroughly wet trunk and lower limbs with spray, prior to flowering in spring. <b>DO NOT</b> spray foliage.
Wooden surfaces such as Pallets & Farm Furniture				Thoroughly wet trunk and infested canes, prior to expansion of the first new leaves. <b>DO NOT</b> spray foliage.
				Thoroughly wet the surfaces to be protected. <b>ENSURE</b> surfaces are thoroughly dry before using for packing or handling of fruit or vegetables.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

### GENERAL INSTRUCTIONS

#### Mixing Instructions – IMPORTANT INFORMATION

Please follow instructions carefully. Mixing the contents in the incorrect order will render the formulation ineffective.

Add SOCUSIL® SNAIL REPELLENT Part A to water whilst thoroughly mixing (recirculate the pump). After the solution is mixed, add SOCUSIL® SNAIL REPELLENT Part B and thoroughly mix. Use within 24 hours of mixing.

#### Application Guidelines for Best Results

Thoroughly saturate the surface – apply to “run off”.

Apply a complete band around the tree / vine trunk to create the barrier. The barrier should be approximately 50-60cm wide (trees / vines). Best results will be achieved where Socusil is used as part of an IPM programme – other measures (skirt pruning, cultivations, pellets etc.) together with Socusil will improve the overall management of snails.

#### Activity

SOCUSIL SNAIL REPELLENT (Once Part A and Part B are mixed) contains a buffered form of copper silicate. The product should not present a hazard to dogs, cats, birds or bees if used as directed. The residue left after the solvent evaporates becomes insoluble and effectively protects plants and structures for many months.

#### CROP SAFETY

DO NOT spray plant foliage such as leaves, shoots and buds.

#### PRECAUTIONS

##### Re-entry (Re-handling)

Do not allow entry into treated areas and do not re-handle treated surfaces until the spray has dried. When prior re-entry or re-handling is necessary, wear chemical resistant gloves. Clothing must be laundered after each days use.

APVMA No. 53212 / 0502

Batch No:

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used container.

### STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Keep out of reach of children.

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

### SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin.

When opening the container and preparing the spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and face shield or goggles. When using the prepared spray, wear elbow length PVC gloves and face shield or goggles.

If product on skin, immediately wash area with soap and water.

If product in eyes, wash it out immediately with water.

Wash hands after use.

After each days use, wash gloves, face shield or goggles and contaminated clothing.

### FIRST AID

If poisoning occurs contact a Doctor or Poisons Information Centre. Ph 13 11 26.

### Safety Data Sheet

Additional information is listed in the Safety Data Sheet which is available from the supplier.

### GHS Statement

Causes skin irritation.  
Causes serious eye damage.

CONDITIONS OF SALE: The product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly supplied and must be used in accordance with the directions for use given on this label. No responsibility is accepted in respect of this product, save those non-excludable conditions implied by The Trade Practices Act or any applicable State Legislation.

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**KDpc**

**SOCUSIL®**  
**SNAIL REPELLENT - PART B**

**ACTIVE CONSTITUENT: 28.6g/L COPPER (Cu) PRESENT AS COPPER COMPLEX**

**FOR THE CONTROL OF SNAILS ON TREES, VINES AND WOODEN SURFACES AS DESCRIBED IN THE DIRECTIONS FOR USE.**

**PART B TO BE MIXED WITH PART A IN ACCORDANCE WITH THE MIXING INSTRUCTIONS.**

**NOT TO BE SOLD SEPARATELY.**



20L

200L

**AN AUSTRALIAN OWNED COMPANY**

**KD Plant Care Pty Ltd, 10 Abbott St, Fairfield Vic 3078 Ph 03 9497 5247**

**NOT TO BE SOLD SEPARATELY**

**DIRECTIONS FOR USE**

**RESTRAINTS**

**DO NOT** spray plants in glasshouses.

**DO NOT** apply to vegetation and surfaces when the surface is wet, or during rainfall.

CROP / SITUATION	RATE			CRITICAL COMMENTS
	POTABLE WATER	PART A	PART B	
Trees - including: Stone, Pome & Citrus	176L	4L	20L	The length of repellency may vary with the surface type to which Socusil is applied, and can last up to 12 months.
Vines - including: Grapes, Kiwifruit & Berries				Thoroughly wet trunk and lower limbs with spray, prior to flowering in spring. <b>DO NOT</b> spray foliage.
Wooden surfaces such as Pallets & Farm Furniture				Thoroughly wet trunk and infested canes, prior to expansion of the first new leaves. <b>DO NOT</b> spray foliage.
				Thoroughly wet the surfaces to be protected. <b>ENSURE</b> surfaces are thoroughly dry before using for packing or handling of fruit or vegetables.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.**

**GENERAL INSTRUCTIONS**

**Mixing Instructions – IMPORTANT INFORMATION**

Please follow instructions carefully. Mixing the contents in the incorrect order will render the formulation ineffective.

Add SOCUSIL® SNAIL REPELLENT Part A to water whilst thoroughly mixing (recirculate the pump).

After the solution is mixed, add SOCUSIL® SNAIL REPELLENT Part B and thoroughly mix.

Use within 24 hours of mixing.

**Application Guidelines for Best Results**

Thoroughly saturate the surface – apply to "run off".

Apply a complete band around the tree / vine trunk to create the barrier. The barrier should be approximately 50-60cm wide (trees / vines). Best results will be achieved where Socusil is used as part of an IPM programme – other measures (skirt pruning, cultivations, pellets etc.) together with Socusil will improve the overall management of snails.

**Activity**

**SOCUSIL SNAIL REPELLENT (Once Part A and Part B are mixed)** contains a buffered form of copper silicate. The product should not present a hazard to dogs, cats, birds or bees if used as directed. The residue left after the solvent evaporates becomes insoluble and effectively protects plants and structures for many months.

**CROP SAFETY**

**DO NOT** spray plant foliage such as leaves, shoots and buds.

**PRECAUTIONS**

**Re-entry (Re-handling)**

Do not allow entry into treated areas and do not re-handle treated surfaces until the spray has dried. When prior re-entry or re-handling is necessary, wear chemical resistant gloves. Clothing must be laundered after each days use.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT**

**DO NOT** contaminate streams, rivers or waterways with the chemical or used container.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Keep out of reach of children.

Triple or preferably pressure rinse container before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling break, crush, or puncture empty containers in a local authority landfill.

If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of desirable waterways, vegetation and tree roots.

Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Will irritate the eyes and skin. Avoid contact with eyes and skin.

When opening the container and preparing the spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and face shield or goggles. When using the prepared spray, wear elbow length PVC gloves and face shield or goggles. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. Wash hands after use.

After each days use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID**

If poisoning occurs contact a Doctor or Poisons Information Centre. Ph 13 11 26.

**Safety Data Sheet**

Additional information is listed in the Safety Data Sheet which is available from the supplier.

**GHS Statement**  
 May be corrosive to metals.  
 Causes skin irritation.  
 Causes serious eye irritation.

UN No. 1760  
 Class 8  
 Packing Group III

**IN A TRANSPORT EMERGENCY**  
 DIAL 000  
 POLICE or FIRE BRIGADE

**CORROSIVE LIQUID,**  
 N.O.S.  
 (Acetic Acid <10%)

**For specialist emergency advice:**  
 (03) 9497 2822



**APVMA No. 53212 / 0502**

**Batch No:**

**CONDITIONS OF SALE:** The product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly supplied and must be used in accordance with the directions for use given on this label. No responsibility is accepted in respect of this product, save those non-excludable conditions implied by The Trade Practices Act or any applicable State Legislation.