

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Kendon

William Pear Stop Drop

ACTIVE CONSTITUENT: 22.8g/L 2,4-D
as the Sodium Salt

GROUP 1 HERBICIDE

*Reduces premature falling
of William pears*

**THIS IS A PHENOXY
HERBICIDE THAT CAN
CAUSE SEVERE DAMAGE
TO NATIVE VEGETATION
AND SUSCEPTIBLE CROPS
SUCH AS COTTON, GRAPES,
TOMATOES, OILSEED CROPS
AND ORNAMENTALS.**

**IMPORTANT: READ THE ATTACHED
LEAFLET BEFORE USE**



5L

AN AUSTRALIAN OWNED COMPANY

Kendon Plant Care Pty Ltd, 10 Abbott St, Fairfield VIC 3078 Ph 03 9497 2822



RESISTANT WEEDS WARNING

GROUP 1 HERBICIDE

Kendon William Pear Stop Drop is a member of the Phenoxy group of herbicides. The product has the disruptors of plant cell growth mode of action.

For weed resistance management Kendon William Pear Stop Drop is a Group I herbicide. Some naturally-occurring weed biotypes resistant to Kendon William Pear Stop Drop and other Group I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Kendon William Pear Stop Drop or other Group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Kendon Plant Care Pty Ltd accepts no liability for any losses that may result from the failure of Kendon William Pear Stop Drop to control resistant weeds.

PRECAUTIONS

If re-entering treated areas before the spray has dried, workers should wear overalls, elbow-length gloves and water-resistant footwear. Clothing must be laundered after each days use.

PROTECTION OF CROPS, NATIVE AND NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures. Avoid spray drift and vapour movement onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins, fruit trees and ornamentals.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site.

If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility.

If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible.

Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed.

It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site.

The cap should not be replaced, but may be taken separately.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with the eyes. Repeated exposure may cause allergic disorders. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length chemical resistant gloves and face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which is available from the supplier.

GHS STATEMENTS

Causes serious eye irritation.
May cause an allergic skin reaction.


**IN AN EMERGENCY DIAL
000
POLICE OR FIRE BRIGADE**

**FOR SPECIALIST ADVICE
IN AN EMERGENCY
03 9497 2822**

APVMA No.

49335 /
128735

Batch No:



9

CONDITIONS OF SALE: The product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly supplied and must be used in accordance with the directions for use given on this label. No responsibility is accepted in respect of this product, save those non-excludable conditions implied by The Trade Practices Act or any applicable State Legislation.

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Kendon **WILLIAM PEAR** **STOP DROP**

ACTIVE CONSTITUENT: 22.5g/L 2,4-D
as the SODIUM SALT

GROUP I HERBICIDE

Reduces premature falling of
William Pears

THIS IS A PHENOXY HERBICIDE THAT CAN CAUSE SEVERE
DAMAGE TO NATIVE VEGETATION AND SUSCEPTIBLE CROPS
SUCH AS COTTON, GRAPES, TOMATOES, OILSEED CROPS
AND ORNAMENTALS.

IMPORTANT: READ THIS LEAFLET BEFORE USE

APVMA No. 49335 / 128735

Kendon Plant Care Pty Ltd
10 Abbott Street,
Fairfield VIC. 3078.
(03) 9497 2822

AN AUSTRALIAN OWNED COMPANY

DIRECTIONS FOR USE

ALL STATES EXCEPT TASMANIA

Add 100ml to 450L of water, with agitation.

The addition of a wetting agent, with agitation, improves sticking.
Apply four to six weeks before first pick.

Product to be used exclusively for canning pears.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHOLDING PERIOD:

DO NOT HARVEST FOR 4 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS:

Ensure thorough spray coverage. Use only at dilution rate specified above.

Resistant Weeds Warning

GROUP I HERBICIDE

Kendon William Pear Stop Drop is a member of the Phenoxy group of herbicides.
The product has the disruptors of plant cell growth mode of action.

For weed resistance management Kendon William Pear Stop Drop is a Group I herbicide.
Some naturally-occurring weed biotypes resistant to Kendon William Pear Stop Drop and other Group I herbicides may exist through normal genetic variability in any weed population.
The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Kendon William Pear Stop Drop or other Group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Kendon Plant Care Pty Ltd accepts no liability for any losses that may result from the failure of Kendon William Pear Stop Drop to control resistant weeds.

PRECAUTIONS

If re-entering treated areas before the spray has dried, workers should wear overalls, elbow-length gloves and water resistant footwear. Clothing must be laundered after each days use.

PROTECTION OF CROPS, NATIVE AND NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.
Avoid spray drift and vapour movement onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins, fruit trees and ornamentals.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life.
DO NOT contaminate wetlands or watercourses with this product or used containers.

RESTRAINTS

General Restraints

DO NOT apply if heavy rains or storms are forecast within 3 days.
DO NOT irrigate to the point of runoff for at least 3 days after application.
DO NOT apply if a crop is stressed due to dry or excessively moist conditions.
DO NOT apply second 2,4-D spray.
DO NOT use on any other pear varieties.

SPRAY DRIFT RESTRAINTS

DO NOT apply by a boom sprayer.
DO NOT apply by aircraft.

Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift

DO NOT allow bystanders to come into contact with the spray cloud.
DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone table below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometers per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

VERTICAL SPRAYERS

DO NOT apply by a vertical sprayer unless the following requirements are met:

- Spray is not directed above the target canopy.
- The outside of the sprayer is turned off when turning at the end of the rows and when spraying the outer row on each side of the application site.
- For dilute water rates up to the maximum listed for each type of canopy specified, minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones' section of the following table titles 'Buffer zones for vertical sprayers') are observed.

Buffer Zones for Vertical Sprayers

TYPE OF TARGET CANOPY AND DILUTE WATER RATE	Mandatory Downwind Buffer Zones (distances given in metres)				
	Bystander Areas	Natural Aquatic Areas	Pollinator Areas	Vegetation Areas	Livestock Areas
2 Metres tall and shorter, maximum dilute water rate of 1000L / ha	0 metres	0 metres	0 metres	0 metres	0 metres
Taller than 2 metres (not fully foliated), maximum dilute water rate of 4000L / ha		15 metres		15 metres	
Taller than 2 metres (fully foliated), maximum dilute water rate of 4000L / ha		10 metres		5 metres	

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple-rinse containers before disposal. Add rinsings to spray tank.

Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

This container can be recycled if it is clean, dry, free of visible residues and has the drum **MUSTER** logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site.

Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drum **MUSTER** collection or similar container management program site. The cap should not be replaced, but may be taken separately.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with the eyes. Repeated exposure may cause allergic disorders.

When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length chemical resistant gloves and a face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre.
Phone Australia 13 11 26.

SAFETY DATA SHEET (SDS)

Additional information is listed in the Safety Data Sheet (SDS), which is available from the supplier.

CONDITIONS OF SALE

The product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly supplied and must be used in accordance with the directions for use given on this label. No responsibility is accepted in respect of this product, save those non excludable conditions implied by the Trade Practices Act or any applicable State Legislation.

GHS STATEMENTS

Causes serious eye irritation.
May cause an allergic skin reaction.

In a Transport Emergency
Dial 000
Police or Fire Brigade

For Specialist Advice
03 9497 2822

