CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

KDPC

Kleen-Way 750SG

Herbicide

ACTIVE CONSTITUENT:
750g/kg IMAZAPYR

GROUP B HERBICIDE

For the control of various annual and perennial weeds in non-crop situations as indicated in the DIRECTIONS FOR USE table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT

300g

AN AUSTRALIAN OWNED COMPANY
KD Plant Care Pty Ltd, 10 Abbott St, Fairfield VIC 3078 Ph 03 9497 5247

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area.

DO NOT store for prolonged periods in direct sunlight. Shake empty bag into spray tank. Rinse bag before disposal or triple or preferably pressure rinse empty containers before disposal. Add rinsings to spray tank.

DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, and or puncture and bury empty containers in a local authority landfill. If no landfill is available bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not burnt.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist asnd wear elbow-length PVC gloves and goggles and disposable dust face mask covering mouth and nose. When using prepared spray wear cotton overalls buttoned to neck and wrist and wear elbow-length PVC gloves. If product in eyes wash it out immediately with water. Wash hands after use. After each days use wash gloves and goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre, Tel: 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet (SDS) which can be obtained from the supplier.

GHS STATEMENTS
Causes serious eye irritation. Causes skin irritation. Toxic to aquatic life with long lasting effects.

APVMA No:
67599/56431

Batch No:

DOM:

9 342105 001829

CONDITIONS OF SALE: The product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly supplied and must be used in accordance with the directions for use given on this label. No responsibility is accepted in respect of this product, save those non excludable conditions implied by The Trade Practices Act or any applicable State Legislation.

CAUTION

KEEP OUT OR REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

KDPC

Kleen-Way 750 SG

HERBICIDE

ACTIVE CONSTITUENT: 750 g/kg IMAZAPYR

GROUP	B	HERBICIDE

For the control of various annual and perennial weeds in non-crop situations as indicated in the DIRECTIONS FOR USE TABLE.

IMPORTANT : READ THIS LEAFLET BEFORE USE

KD Plant Care Pty Ltd
10 Abbott Street, Fairfield, Victoria, 3078
Tel : (03) 9497 5247

DIRECTIONS FOR USE

RESTRAINTS : DO NOT apply by AIRCRAFT as spray drift may cause damage to desirable surrounding species.

Situation	Weeds	States	Rate	Critical Comments
Around agricultural buildings and other farm non-crop situations, commercial, industrial and public service areas, rights of way and waste land, away from desirable vegetation	Annual ryegrass (*Lolium rigidum)* Barnyard grass (*Echinochloa crus-galli)* Blady grass (*Imperata cylindrica*) Buckbush *(Salsola kali)* Deadnettle *(Lamium amplexicaule)* Feathertop Rhodes grass *(Chloris virgata)* Fleabane *(Conyza canadensis)* Hexham Scent *(Melilotus indicus)* Liverseed grass*(Urochloa panicoides)* London rocket *(Sisymbrium irio)* Mayne's pest (*Verbena tenuisecta)* Medics (*Medicago* spp.*)* Mintweed (*Salvia reflexa)* Blackberry nightshade *(Solanum nigrum)* Paterson's Curse (*Echium plantagineum)* Plains grass *(Stipa aristiglumis)* Prairie grass *(Bromus unioloides)* Prickly lettuce (*Lactuca serriola)* Purple top *(Verbena bonariensis)* Scented top (*Capillipedium spp.)* Sedges *(Cyperus* spp.*)* Slender celery *(Apium leptophyllum)* Sowthistle (*Sonchus oleraceus)* St Barnaby's thistle (*Centaurea solstitialis)* Summer grasses (*Digitaria* spp.*)* Thornapples (*Datura* spp.*)* Turnip weed *(Rapistrum rugosum)* Variegated thistle (*Silybum marianum)* Vasey grass *(Paspalum urvillei)* Warrego grass *(Paspalidium jubiflorum)* Wild oats *(Avena* spp.*)* Wild turnip *(Brassica tournefortii)* Wireweed *(Polygonumaviculare)*	All States	1.3kg / ha	Applications can be made pre- or post-emergence. Post-emergence applications also provide pre-emergence control. **Medium Volume :** 1.3kg of **KDpc Kleen-Way 750SG Herbicide** should be applied using spray volumes ranging between 50 and 200L/ha. **High Volume :** Apply sufficient spray to wet the surfaces visibly without producing run-off. Measure how much spray is required to cover 10m x 10m and add **KDpc Kleen-Way 750SG Herbicide** at the rate of 13 gram in this measured volume.
	Bokhara clover *(Melilotus albus)* Bracken (suppression only) *(Pteridium esculentum)* Capeweed *(Arctotheca calendula)* Couch *(Cynodon dactylon)* Docks *(Rumex* spp.*)* Johnson grass *(Sorghum halepense)* Panics (suppression only) *(Panicum* spp.*)* Paspalum *(Paspalum dilatatum)* Queensland bluegrass *(Dichanthium sericeum)* Stinging nettle *(Urtica incisa)*		2kg / ha	Applications can be made pre- or post-emergence. Post-emergence applications also provide pre-emergence control. **Medium Volume :** 2kg of **KDpc Kleen-Way 750SG Herbicide** should be applied using spray volumes ranging between 50 and 200L/ha. **High Volume :** Apply sufficient spray to wet the surfaces visibly without producing run-off. Measure how much spray is required to cover 10m x 10m and add **KDpc Kleen-Way 750SG Herbicide** at the rate of 20 gram in this measured volume.

Situation	Weeds	States	Rate	Critical Comments
Around agricultural buildings and other farm non-crop situations, commercial, industrial and public service areas, rights of way and waste land, away from desirable vegetation	Rubber vine *(Cryptostegia grandiflora)*	**QLD only**	**1.3g/L water**	**Post-emergence application :** Apply sufficient spray to wet the surface visibly to the point of run-off. For effective control, apply when the plant is actively growing and not stressed, yellowing or bearing pods. Flowering is a good indication of the best time for application. Use high volume application as detailed in the General Instructions Section.
	Thunbergia *(Thunbergia* spp.*)*	**QLD only**	**2.5g/L water**	**Post-emergence application :** Apply sufficient spray to wet the surface visibly to the point of run-off. For effective control, apply when the plant is actively growing. Use high volume application as detailed in the General Instructions Section.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

KDpc Kleen-Way 750SG Herbicide is a Soluble Granule formulation of herbicide which will kill a range of standing weeds and emerging seedlings. It stops growth rapidly, although symptoms may take over 30 days to develop. Affected plants are discoloured and often growth is distorted.
The active material in **KDpc Kleen-Way 750SG Herbicide** is rapidly absorbed through foliage and roots, and translocated throughout plants. Foliage treatments will provide pre-emergence control as the active material is released to the soil following plant decay. Residual control of weeds, for which the lower rate of **KDpc Kleen-Way 750SG Herbicide** is recommended, will increase when the higher rate is used.

RESISTANT WEEDS WARNING

GROUP B HERBICIDE

KDpc Kleen-Way 750SG Herbicide is a member of the imadazolinone group of herbicides.
KDpc Kleen-Way 750SG Herbicide has the inhibition of acetolactate synthase (ALS) mode of action. For weed resistance management **KDpc Kleen-Way 750SG Herbicide** is a Group B Herbicide. Some naturally occurring weed biotypes resistant to **KDpc Kleen-Way 750SG Herbicide a**nd other Group B herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by **KDpc Kleen-Way 750SG Herbicide** or other Group B herbicides.

Since the occurrences of resistant weeds is difficult to detect prior to use, KDpc Pty Ltd accepts no liability for any losses that may result from the failure of **KDpc Kleen-Way 750SG Herbicide** to control resistant weeds.

APPLICATION :

Faster control of standing weeds will result if growing conditions are favourable at, and after, application. Rainfall within two hours of the spray mixture drying on leaves may result in reduced weed control.

SPRAYING INSTRUCTIONS :
For medium volume spraying, apply through a spray boom calibrated to ensure even coverage. Use spray nozzles suitable to prevent spray drift onto surrounding desirable vegetation.
For high volume application, use a hand gun or knapsack to apply sufficient spray to wet the surface visibly without producing run-off.

MIXING
KDpc Kleen-Way 750SG Herbicide is a Soluble Granule formulation. Part fill the spray tank with water, then with the agitator running, add the required amount of product, then fill the tank with water. When tank mixing this product with other recommended compatible products, first add this product to the tank and mix thoroughly to dissolve before adding the other products. Use ONLY stainless steel, fiberglass, plastic or plastic-lined containers for mixing, storage and application.

COMPATIBILITY :
For faster knockdown of weeds, certain other herbicides may be mixed with **KDpc Kleen-Way 750SG Herbicide**. Bipyridyl herbicides (e.g. Paraquat) are NOT compatible with **KDpc Kleen-Way 750SG Herbicide**. Mixtures of this type will result in poor weed control.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS
DO NOT apply under weather conditions or from spraying equipment which may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.
DO NOT apply on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemicals may be washed or moved into contact with their roots.
DO NOT apply where run-off water may flow onto agricultural land or other desirable vegetated areas. Dispose of washings away from desirable plants and their roots.

PROTECTION OF LIVESTOCK
Low hazard to bees – may be applied to plants at any time. DO NOT graze or cut for stock feed, vegetation which has been treated with **KDpc Kleen-Way 750SG Herbicide**.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL
Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Shake bag contents into spray tank until the bag is empty. Single rinse bag before disposal. Triple or preferably pressure rinse other containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist and wear elbow-length PVC gloves and goggles and disposable dust face mask covering mouth and nose. When using prepared spray wear cotton overalls buttoned to the neck and wrist and wear elbow-length PVC gloves. If product in eyes wash it out immediately with water. Wash hands after use. After each days use wash gloves and goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or ***Poisons Information Centre. Tel: 13 11 26.***

MSDS

Additional information is listed in the Material Safety Data Sheet which can be obtained from the supplier.

IN AN EMERGENCY ONLY
DIAL 000
FIRE BRIGADE OR POLICE

CONDITIONS OF SALE

The product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly supplied and must be used in accordance with the directions for use given on this label. No responsibility is accepted in respect of this product, save those non excludable conditions implied by the Trade Practices Act or any applicable State Legislation.

APVMA Approval No. : 67599/56431